

Ch 13: Introduction to Classes

CS 2308
Spring 2014

Jill Seaman

1

13.1 Procedural Programming

- Data is stored in variables
 - Perhaps using arrays and structs.
- Program is a collection of functions that perform operations over the variables
 - Good example: PA2 inventory program
- Variables are passed to the functions as arguments
- Focus is on organizing and implementing the **functions**.

2

Procedural Programming: Problem

- It is not uncommon for
 - program specifications to change
 - representations of data to be changed for internal improvements.
- As procedural programs become larger and more complex, it is difficult to make changes.
 - A change to a given variable or data structure requires changes to all of the functions operating over that variable or data structure.
- Example: use vectors or linked lists instead of arrays for the inventory

3

Object Oriented Programming: Solution

- An object contains
 - data (like fields of a struct)
 - functions that operate over that data
- Code outside the object can access the data **only** through the object's functions.
- If the representation of the data inside the object needs to change:
 - Only the object's function definitions must be redefined to adapt to the changes.
 - The code outside the object does not need to change, it accesses the object in the same way.

4

Object Oriented Programming: Concepts

- **Encapsulation:** combining data and code into a single object.
- **Data hiding (or Information hiding)** is the ability to hide the details of data representation from the code outside of the object.
- **Interface:** the mechanism that code outside the object uses to interact with the object.
 - The object's (public) functions
 - Specifically, outside code needs to "know" only the function prototypes (not the function bodies).

5

Object Oriented Programming: Real World Example

- In order to drive a car, you need to understand only its interface:
 - ignition switch
 - gas pedal, brake pedal
 - steering wheel
 - gear shifter
- You don't need to understand how the steering works internally.
- You can operate any car with the same interface.

6

Classes and Objects

- A class is like a blueprint for an object.
 - a detailed description of an object.
 - used to make many objects.
 - these objects are called **instances** of the class.
 - For example, the String class in C++.
 - Make an instance (or two):
- ```
String cityName1="Austin", cityName2="Dallas";
```
- use the object's functions to work with the objects:

```
int size = cityName1.length();
cityName2.insert(0,"Big ");
```

7

## 13.2 The Class

- A class in C++ is similar to a structure.
  - It allows you to define a new (composite) data type.
- A class contains the following:
  - variables AND
  - **functions** (these manipulate the variables)
- These are called members
- A class declaration defines the member variables and (at least) the prototypes of the member functions.

8

## Example class declaration

```
// models a 12 hour clock
class Time //new data type
{
private:
 int hour;
 int minute;
 void addHour();

public:
 void setHour(int);
 void setMinute(int);
 int getHour() const;
 int getMinute() const;

 string display() const;
 void addMinute();
};
```

9

## Access rules

- Used to control access to members of the class
  - public: can be accessed by functions inside AND outside of the class
  - private: can be called or accessed only from functions that are members of the class (inside) (this is the default)
- Member variables (attributes) are declared private, to hide their definitions from outside the class.
- Certain functions are declared public to provide (controlled) access to the hidden/private data.
  - these public functions form the interface to the class

## Using const with member functions

- `const` appearing after the parentheses in a member function declaration specifies that the function will **not** change any data inside the object.

```
int getHour() const;
int getMinute() const;
string display() const;
```

- These member functions won't change hour or minute.

11

## Defining member functions

- Member function definitions usually occur outside of the class definition (in a separate file).
- The name of each function is preceded by the class name and scope resolution operator (`::`)

```
void Time::setHour(int hr) {
 hour = hr;
}
```

hour appears to be undefined,  
but it is a member variable of the Time class

12

## Accessors and mutators

- Accessor functions
  - return a value from the object (without changing it)
  - a “getter” returns the value of one member variable
- Mutator functions
  - Change the value(s) of member variable(s).
  - a “setter” changes (sets) the value of one member variable.

13

## Defining Member Functions

```
void Time::setHour(int hr) {
 hour = hr; // hour is a member var
}
void Time::setMinute(int min) {
 minute = min; // minute is a member var
}
int Time::getHour() const {
 return hour;
}
int Time::getMinute() const {
 return minute;
}

void Time::addHour() { // a private member func
 if (hour == 12)
 hour = 1;
 else
 hour++;
}
```

14

## Defining Member Functions

```
void Time::addMinute() {
 if (minute == 59) {
 minute = 0;
 addHour(); // call to private member func
 } else
 minute++;
}

string Time::display() const {
 // returns time in a string formatted to hh:mm
 ostringstream sout; //include <sstream>
 sout.fill('0'); //padding char for setw
 sout << hour << ":" << setw(2) << minute;
 return sout.str(); //str() returns the string
 // from the stream
}
```

ostringstream: allows you to create a string by “outputting” it using << and i/o manipulators.  
fill(ch): sets padding character used with setw

15

## 13.3 Defining an instance of the class

- `ClassName variable;` (like a structure):  
`Time t1;`
- This defines `t1` to contain an object of type `Time` (with hour and minute members).
- Access public members of class with dot notation:

```
t1.setHour(3);
t1.setMinute(41);
t1.addMinute();
```

calls to member functions

- Use dot notation OUTSIDE the class definitions.

16

## Using the Time class

```
int main() {
 Time t;
 t.setHour(12);
 t.setMinute(58);
 cout << t.display() << endl;
 t.addMinute();
 cout << t.display() << endl;
 t.addMinute();
 cout << t.display() << endl;
}
```

Output: 

|       |
|-------|
| 12:58 |
| 12:59 |
| 1:00  |

17

## 13.4 Setters and getters: what's the point?

- Why have setters and getters that only do assignment and return values?
  - Why not just make the member variables public?
- Setter functions can validate the incoming data.
  - setMinute can make sure minutes are between 0 and 59 (if not, it can report an error).
- Getter functions could act as a gatekeeper to the data or provide type conversion.

18

## 13.5 Separating Specs from Implementation

- Class declarations are usually stored in their own header files (Time.h)
  - called the specification file
  - filename is usually same as class name.
- Member function definitions are stored in a separate file (Time.cpp)
  - called the class implementation file
  - **it must #include the header file,**
- Any program/file using the class must include the class's header file (#include "Time.h")

See the Multi-file  
Development Lecture  
and TimeDemo.zip

19

## 13.6 Inline member functions

- Member functions can be defined
  - after the class declaration (normally) OR
  - inline: in class declaration
- Inline is appropriate for short function bodies:

```
class Time {
private:
 int hour;
 int minute;
 void addHour(); // not inlined
public:
 int getHour() const { return hour; }
 int getMinute() const { return minute; }
 void setHour(int h) { hour = h; }
 void setMinute(int m) { minute = m; }
 string display() const; //not inlined
 void addMinute(); //not inlined
};
```

20

## 13.7 Constructors

- A constructor is a member function with the same name as the class.
- It is called automatically when an object is created
- It performs initialization of the new object
- It has no return type

```
class Time
{
private:
 int hour;
 int minute;
 void addHour();
public:
 Time(); // Constructor prototype
...
}
```

21

## Constructor Definition

- Note no return type, prefixed with Class::

```
// file Time.cpp
#include <sstream>
#include <iomanip>
using namespace std;

#include "Time.h"

Time::Time() { // initializes hour and minute
 hour = 12;
 minute = 0;
}
void Time::setHour(int hr) {
 hour = hr;
}
void Time::setMinute(int min) {
 minute = min;
}
}
```

22

## Constructor "call"

- From main:

```
//using Time class (Driver.cpp)
#include<iostream>
#include "time.h"
using namespace std;

int main() {
 Time t; //Constructor called implicitly here

 cout << t.display() <<endl;
 t.addMinute();
 cout << t.display() << endl;
 return 0;
}
```

Output: 12:00  
12:01

23

## Default Constructors

- A default constructor is a constructor that takes no arguments (like Time()).
- If you write a class with NO constructors, the compiler will include a default constructor for you, one that does (almost) nothing.
- The original version of the Time class did not define a constructor, so the compiler provided a constructor for it.

24

## 13.8 Passing Arguments to Constructors

- To create a constructor that takes arguments:
  - Indicate parameters in prototype:

```
class Time
{
 public:
 Time(int,int); // Constructor prototype
 ...
}
```

- Use parameters in the definition:

```
Time::Time(int hr, int min) {
 hour = hr;
 minute = min;
}
```

25

## Passing Arguments to Constructors

- Then pass arguments to the constructor when you create an object:

```
int main() {
 Time t (12, 59);
 cout << t.display() <<endl;
}
```

Output:

```
12:59
```

26

## Classes with no Default Constructor

- When all of a class's constructors require arguments, then the class has NO default constructor.
  - C++ will NOT automatically generate a constructor with no arguments unless your class has NO constructors at all.
- When there are constructors, but no default constructor, you **must** pass the required arguments to the constructor when creating an object.

27

## 13.9 Destructors

- Member function that is automatically called when an object is destroyed
- Destructor name is ~classname, e.g., ~Time
- Has no return type; takes no arguments
- Only one destructor per class, i.e., it cannot be overloaded, cannot take arguments
- If the class dynamically allocates memory, the destructor should release (delete) it

28

## Destructors

- Example: class decl  
Inventory class, with dynamically allocated array:

```
struct Product {
 string productName; // product description
 string locator; // used to find product
 int quantity; // number of copies in inventory
 double price; // selling price of the product
};

class Inventory {
private:
 Product *products; //dynamically allocated array
 int count;
public:
 Inventory (int);
 ~Inventory();
 bool addItem(Product);
 int removeItem(String); //name of Product to remove
 void showInventory();
}
```

Inventory.h  
29

## Destructors

- Example: member function definitions (class impl)

```
#include "Inventory.h"

Inventory::Inventory(int size){
 products = new Product[size];
 count = 0;
}

Inventory::~~Inventory() {
 delete [] products;
}
```

Inventory.cpp  
30

## Destructors

- Example: driver creates and destroys an Inventory

```
int main() {
 Inventory storeProducts(100); //calls constructor

 //do stuff with storeProducts here
} //end of main, storeProducts object destroyed here,
// calls its destructor (deletes products array)
```

- When is an object destroyed?
  - at the end of its scope
  - when it is deleted (if it's dynamically allocated)

31

## 13.10 Overloaded Constructors

- Recall: when 2 or more functions have the same name they are *overloaded*.
- A class can have more than one constructor
  - They have the same name, so they are overloaded
- Overloaded functions must have different parameter lists:

```
class Time
{
private:
 int hour;
 int minute;
public:
 Time();
 Time(int);
 Time(int,int);
 ...
}
```

32

## Overloaded Constructors

- definitions:

```
#include "Time.h"

Time::Time() {
 hour = 12;
 minute = 0;
}
Time::Time(int hr) {
 hour = hr;
 minute = 0;
}
Time::Time(int hr, int min) {
 hour = hr;
 minute = min;
}
```

33

## Overloaded Constructor "call"

- From main:

```
int main() {
 Time t1;
 Time t2(2);
 Time t3(4,50);

 cout << t1.display() <<endl;
 cout << t2.display() <<endl;
 cout << t3.display() << endl;
}
```

Output:

```
12:00
2:00
4:50
```

34

## Overloaded Member Functions

- Non-constructor member functions can also be overloaded
- Must have unique parameter lists as for constructors

```
class Time
{
private:
 int hour;
 int minute;
public:
 Time();
 Time(int);
 Time(int,int);
 void addMinute(); //adds one minute
 void addMinute(int); //adds minutes from arg
 ...
}
```

35

## 13.12 Arrays of Objects

- Objects can be the elements of an array:

```
int main() {
 Time recentCalls[10]; //times of last 10 calls
}
```

- Default constructor (Time()) is used to initialize each element of the array when it is defined
- This array is initialized to 10 Time objects each set to 12:00.

36

## Arrays of Objects

- To invoke a constructor that takes arguments, you must use an initializer list:

```
int main() {
 Time recentCalls[10] = {1,2,3,4,5,6,7,8,9,10};
}
```

- The constructor taking one argument is used to initialize each of the 10 Time objects here
- This array is initialized to 10 Time objects set to 1:00, 2:00, 3:00, 4:00, etc.

37

## Arrays of Objects

- If the constructor requires more than one argument, the initializer must take the form of a function call:

```
int main() {
 Time recentCalls[5] = {Time(1,5),
 Time(2,13),
 Time(3,24),
 Time(3,55),
 Time(4,50)};
}
```

- This array is initialized to 5 Time objects set to 1:05, 2:13, 3:24, 3:55, and 4:50.

38

## Arrays of Objects

- It isn't necessary to call the same constructor for each object in an array:

```
int main() {
 Time recentCalls[7] = {1,
 Time(2,13),
 Time(3,24),
 4,
 Time(4,50)};
}
```

- If there are fewer initializers in the list than elements in the array, the default constructor will be called for all the remaining elements.

39

## Accessing Objects in an Array

- Objects in an array are referenced using subscripts
- Member functions are referenced using dot notation
- Must access the specific object in the array BEFORE calling the member function:

```
recentCalls[2].setMinute(30);
cout << recentCalls[4].display() << endl;
```

40